### **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

51) International Patent Classification 6:		(11) International Publication Number: WO 96/3920
A61M	A2	(43) International Publication Date: 12 December 1996 (12.12.96
21) International Application Number: PCT/IL  22) International Filing Date: 5 June 1996 (		DK, EE, ES, FI, GB, HU, IS, JP, KR, LT, LU, LV, MD
30) Priority Data: 114022 6 June 1995 (06.06.95)  71) Applicant (for all designated States except US): ASI	n rėsi	Published  Without international search report and to be republished upon receipt of that report.
RATION DEVICE LTD. [IL/IL]; Technology Cent Misgav (IL).	ter, 201	9
72) Inventor; and 75) Inventor/Applicant (for US only): OREN, Nathan [I Morad Hagay, 21752 Carmiel (IL).	IL/IL];	6
74) Agent: COHEN ZEDEK & RAPAPORT; 29 Beza 64683 Tel-Aviv (IL).	lel Stre	t,

#### (57) Abstract

A respiration mask to prevent sleep apnea and snoring comprising means for measuring the real time pressure inside the mask, and means for maintaining a predetermined pressure inside the mask. The mask is self-contained and does not require external air compression means.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB .	United Kingdom	MW	Malawi	
AT	Austria	GE	Georgia	MX	Mexico	
AU	Australia	GN	Guinea	NE	Niger	
BB	Barbados	GR	Greece	NL	Netherlands	
BE	Belgium	HU	Hungary	NO	Norway	
BF	Burkina Faso	IE	Ireland	NZ	New Zealand	
BG	Bulgaria	IT	Italy	PL	Poland	
BJ	Benin	JP	Japan	PT	Portugal	
BR	Brizil	KE	Kenya	RO	Romania	
BY	Belarus	KG	Kyrgystan	RU	Russian Federation	
CA	Canada	KP	Democratic People's Republic	SD	Sudan	
CF	Central African Republic	<i>7</i> 4	of Korea	SE	Sweden	
CG	Congo .	KR	Republic of Korea	SG	Singapore	
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia	
a	Côte d'Ivoire	u	Liechtenstein	SK	Slovakia	
CM	Cameroon	LK	Sri Lanka	SN	Senegal	
CN	China	LR	Liberia	SZ	Swaziland	
cs	Czechoslovakia	LT	Lithuania	TD	Chad	
cz	Czech Republic	LU	Luxembourg	TG	Togo	
DE	Germany	LV	Larvin	ŢJ	Tajikistan	
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago	
EE	Estonia	MD	Republic of Moldovs	UA	Ukraine	
ES	Spain	MG	Madagascar	UG	Uganda	,
· FI	Finland	ML	Mali	US	United States of America	
FR	France	MN	Mongolia .	UZ	Uzbekistun	
GA	Gabon	MR	Mauritania	VN ·	Viet Nam	
~	<del></del>					

1

#### RESPIRATION DEVICE

The present invention relates to respiration aids, particularly for use by patients suffering from the disease know as Sleep Apnea and snoring. Sleep Apnea, which manifests itself by intensive snoring during sleep, is a biological disorder of the respiratory channels, in particular the upper air passages which tend to collapse and become blocked towards the end of some exhalation cycles. In order to overcome and avoid suffocation, the patient must exert an effort to continue the breathing process, i.e. the inhalation phase, which effort entails his actual awaking. Patients are thus driven in to a serious mental and physical condition, due to accumulated lack of sleep; although the patients seem to be asleep, actually they are not deriving the benefits of slumber, not to mention the inconvenience caused by people in proximity.

In the course of research, it has been found that great relief is attained if, by some external means, the patient's lungs (and, of course, the upper bronchial passages included) are kept under a constant, slightly elevated air pressure, of the order of 5-15 cm H₂O above the ambient, "atmospheric" pressure.

Apparatus devised for the application of this kind of treatment included a belted nose-mask and snorkel, through which excessive quantity of air was supplied to the patient (of the order of 100 lit/min while normal human air consumption during sleep is about 6 lit/min).

This method assured that both the inhalation and the exhalation took place under practically the same, elevated pressure, as required. However, it has been found that the supply to the patient's mask of such extremely high quantities of air causes great inconvenience, expressed, inter alia, by extensive cooling and/or drying up of the nose and other breathing passages.

It has already been proposed to overcome this inherent deficiency of the conventional system - cf. Israel Patent Application No. 82300; however the apparatus therein disclosed still requires the installation of an electric motor to drive an indispensable compressor.

It is, therefore, the prime object of the present invention to provide a respiration device for the above purpose which is self-contained, and does not require an electrically powered air compressor.

The device of the invention is a respiration aid device, particularly for preventing snoring and Sleep Apnea, comprising a nose cover, a one-way inhalation, air valve, an exhalation controlled air, valve, a potentiometer for setting of in-mask pressure, a pressure gauge, two analog-to-digital (A/D) uits, comparator, a controller.

The invention is illustrated in Fig. 1. Nothing in the following description is meant to limit the scope of the invention; it is meant only to clarify and illustrate it.

The device of the invention comprises a mask covering the patient's nose, and a servo mechanism maintaining inside the mask a desired pressure during exhalation. This pressure inside the mask is due to the patient's exhalation only.

As illustrated the novel device comprises a mask 1 to be attached to the face by means of a strap around the head. There are provided two valves, and inflow valve (2) and an outflow valve 3, which, allow air to flow from the outside into the mask and from the mask to the outside, respectively. The opening and closing of the one-way inflow valve is controlled by that valve's mechanism; the opening and closing of the outflow valve are controlled by control means 8.

WO 96/39206 PCT/IL96/00004

3

There is provided a pressure gauge (5) which senses the air pressure inside the mask. A potentiometer (4) is set so that its resistance is used as reference. This reference corresponds to the desired threshold value of air pressure. Units marked on a scale, for setting the potentiometer, are units of pressure, given in mm of water above atmospheric pressure, in the range of 0 to 150 mm. There is provided two A/D converters (6 and 6') one for the airpressure information coming from the pressure gauge and the other receiving reference information coming from potentiometer (4), convert these two analog data into digital data: the analog pressure information into digital pressure-information, and the analog resistance information into digital reference-information. These are input to a comparator which compares them with each other. According to this comparison the comparator 7 sends information to the controller 8. If the pressure measured by the pressure gauge is higher than the set reference, the comparator 7 sends to the controller 8 information to open the outflow valve 6'. If the pressure measured by the pressure gauge is lower than the set reference, the comparator sends to the controller 8 information to keep the outflow valve 6' closed.

Both valves are very sensitive and respond rapidly to very small pressure differences.

Various outflow valve, can be used, such as:

- (1) and on/off valve;
- (2) a valve with variable opening: from fully closed to fully open.

During inhalation the pressure within the mask 1 is lower than the pressure corresponding to the set reference so that the outflow valve 3 is closed and the patient inhales through the inflow valve 2. During exhalation the pressure within the mask 1 builds up because the two valves are closed. When the pressure within the mask exceeds the pressure corresponding to the set reference the control 8 sends information to the outflow valve 3 to open it, allowing air to flow out.

.4

If the outflow valve 3 is of the on/off type it remains open until the pressure within the mask 1 reaches the pressure corresponding to the set reference and the outflow valve closes. If the outflow valve 3 is of the variable-opening type it opens in proportion to the pressure within the mask so that the pressure remains at the level corresponding to the set reference, and when it drops below that threshold, the valve closes.

It will thus be readily appreciated that the device provided according to the invention, is of simple construction; needs not be associated with auxiliary installations such as an electrical power source; it comprises a small number of simple elements and is therefor not liable to wear during prolonged use, and also inexpensive.

#### **CLAIMS**


- 1. A respiration mask, particularly for preventing sleep Apnea and snoring, comprising: a nose cover, provided with an inhalation, one-way, air valve; and exhalation, controlled, air valve; a potentiometer for reset timing in-mask pressure; a pressure gauge; two analog-to-digital circuits; a comparator
- 2. A mask according to claim 1, where the opening and closing of the one-

way outflow valve is controlled by control means.

valve to maintain in-mask pressure during exhalation at a preset value.

and controller means, thus providing means for controlling the exhalation

- 3. A mask according to claim 1 or 2, where means are provided for establishing in the mask a pressure in the range of from about 0 to 150 mm water.
- 4. A mask where a pressure gauge senses air pressure inside the mask and a potentiometer set so that its resistance serves as reference, according to which preset difference the air pressure in the mask is maintained.
- 5. A system according to any of claims 1 to 4, where there are provided A/D converters, one for sensing air pressure from the pressure gauge, the other from the potentiometer, which data are used as input to a comparator which sends commands to the outflow valve, either opening it or leaving it in the closed state.
- 6. A respiration aid device for preventing Sleep Apnea and snoring substantially as hereinbefore described with reference to the accompanying drawing.



SUBSTITUTE SHEET (RULE 26)



## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

IL

(51) International Patent Classification 6:			
A61M 16/00,	A62B	7/00,	18/02

(11) International Publication Number:

WO 96/39206

12 December 1996 (12.12.96) (43) International Publication Date:

(81) Designated States: AT, AU, BG, BR, CA, CH, CN, CZ, DE,

GR, IE, IT, LU, MC, NL, PT, SE).

DK, EE, ES, FI, GB, HU, IS, JP, KR, LT, LU, LV, MX,

NO, NZ, PL, PT, RO, RU, SE, SG, SI, SK, TR, UA, US,

European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB,

(21) International Application Number:

PCT/IL96/00004

A3

(22) International Filing Date:

5 June 1996 (05.06.96)

(30) Priority Data: 114022

6 June 1995 (06.06.95)

(71) Applicant (for all designated States except US): ASN RESPI-RATION DEVICE LTD. [IL/IL]; Technology Center, 20179 Misgav (IL).

(72) Inventor; and (75) Inventor/Applicant (for US only): OREN, Nathan [IL/IL]; 56 Morad Hagay, 21752 Carmiel (IL).

(74) Agent: COHEN ZEDEK & RAPAPORT; 29 Bezalel Street, 64683 Tel-Aviv (IL).


Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 24 April 1997 (24.04.97)

### (54) Title: RESPIRATION DEVICE

#### (57) Abstract

A respiration mask (1) to prevent sleep apnea and snoring, comprises means (5) for measuring the real time pressure inside the mask, and means (3) (8) for maintaining a predetermined pressure inside the mask. The mask (1) is self-contained and does not require external air compression means.



### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB .	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB .	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway ,
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	TT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Кепуа	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD .	Sudan
CF.	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
a	Côte d'Ivoire	u	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad .
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Larvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda ·
· Fl	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	. MR	Mauritania	VN	Viet Nam
•					

## INTERNATIONAL SEARCH REPORT

International application No. PCT/IL96/00004

IFICATION OF SUBJECT MATTER		
	·	
18/204.18, 204.21, 204.23, 203.23 International Patent Classification (IPC) or to both na	tional classification and IPC	
S SEARCHED		
umentation searched (classification system followed b	y classification symbols)	
S. Ct. 128/204 18, 204.21, 204.23, 205.25		
3. CE. 120/204.10. De	h de aumente are included	n the fields searched
n searched other than minimum documentation to the e	xtent that such documents are morecom	
to detuning the international search (nam	e of data base and, where practicable,	search terms used)
a base consulted during the international search (		
	·	
		D. L
Citation of document, with indication, where app	ropriate, of the relevant passages	Relevant to claim No.
		1-5
COO A (KUDOME of all 1	November 1996, Fig. 1;	1-5
US 5,5/2,993 A (KUNUME et all 12		
and col. /, lines / +.		
	•	
	·	
·		
	•	
1	·	
	•	•
:	•	·
ner documents are listed in the continuation of Box C		Gling date or Briofny
necial categories of cited documents:	A A A A A A A A A A A A A A A A A A	
cument defining the general state of the art which is not considered	principle of theory underlying are	the claimed invention cannot be
	considered novel of cannot be will	dered to involve an inventive step
mention may throw doubts on priority claim(s) or which is		the claimed invention cannot be
pecial reason ias specified)	considered to involve an invent	such documents, such combinatio
	being obvious to a person skilled t	i uic air
ocument published prior to the international filing date but later than		
actual completion of the international search	Date of mailing of the international	scarch report
	1/0 MAD 1007	
	I I I I I I I I I I I I I I I I I I I	
CH 1997	19 MAR 1997	10.
mailing address of the ISA/US	Authorized officer	Polim
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Polin
	S SEARCHED  Immentation searched (classification system followed by S. CL. 128/204.18, 204.21, 204.23, 205.25  In searched other than minimum documentation to the example of the searched other than minimum documentation to the example of the searched other than minimum documentation to the example of the search of the sear	SEARCHED  Immentation Patent Classification (IPC) or to both national classification and IPC  SEARCHED  Immentation searched (classification system followed by classification symbols)  S. CL. 128/204.18. 204.21. 204.23. 205.25  In searched other than minimum documentation to the extent that such documents are included in the abase consulted during the international search (name of data base and, where practicable, and base consulted during the international search (name of data base and, where practicable, and base consulted during the international search (name of data base and, where practicable, and base consulted during the international search (name of data base and, where practicable, and base consulted during the international search (name of data base and, where practicable, and base consulted during the international search (name of data base and, where practicable, and

### INTERNATIONAL SEARCH REPORT

International application No. PCT/IL96/00004

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.:  because they relate to subject matter not required to be searched by this Authority, namely:
2. X Claims Nos.: 6 because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
Claim 6 was not searched because it fails to point out what is included or excluded by the claim language.
Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims: it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.